EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:38
S2	0	S1 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118""" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:46
S3	16	query adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
S4	5	query adj fingerprint and candidate adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
S5	3	S4 and(@ad< "20031118" or @rlad< "20031118" or @prad< "20031118""" or @ptad< "20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
S6	2	S4 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:51
S7	10	query adj fingerprint and model and threshold and (signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:55
S8	3	S7 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:55
S9	2	S8 and candidate adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:56

S10	1	query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:03
S11	О	(query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:04
S12	0	(query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).clm.	US-PGPUB	OR	ON	2009/03/20 15:04
S13	1	query adj fingerprint and statistical adj model and(signal or video or audio)and search \$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
S14	74	query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
S15	73	query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
S16	54	S15 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:07
S17	15	S15 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:07
S18	0	S17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:08
S19	0	S17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:08

S20	3	S17 and model\$1 and threshold and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:09
S21	2	S20 and vector and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:09
S22	2	S21 and(match\$3 or comparision or correlation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:11
S23	2	S22 and query adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:12
S24	0	S23 and statistical adj model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:12
S25	2	S23 and model\$1 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:13
S26	25	((JOB) near2 (OOSTVEEN)). INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:19
S27	1	S26 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:19
S28	98	((ANTONIUS) near2 (KALKER)).INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:20
S29	2	S28 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:20
S30	1	S29 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:21

S31	0	S30 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:21
S32	48	((JAAP) near2 (HAITSMA)). INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:21
S33	1	S32 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:22
S34	0	(query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and search\$3 and extract\$3 and(comparision or match\$3 or correlation or similar)).CLM.	US-PGPUB	OR	ON	2009/03/20 15:25
S35	1	(query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparision or match\$3 or correlation or similar)).CLM.	US-PGPUB	OR	ON	2009/03/20 15:25
S36	36741	"382"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:26
S37	0	S36 and query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparision or match\$3 or correlation or similar)	USPAT	OR	ON	2009/03/20 15:26
S38	1	S36 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:27
S39	0	S38 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:28
S40	10	S36 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:30
S41	0	S40 and fingerprint and statistical adj model and threshold\$1	US-PGPUB	OR	ON	2009/03/20 15:31
S42	0	S40 and candidate adj fingerprint and statistical adj model and threshold\$1	US-PGPUB	OR	ON	2009/03/20 15:31
S43	1	S40 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:32
S44	14212	"704"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:32

S45	1	S44 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:33
S46	28368	"700"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:34
S47	0	S46 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:35
S48	0	S46 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:35
S49	0	"396"/\$.ccls	USPAT	OR	ON	2009/03/20 15:35
S50	0	S49 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:36
S51	0	S49 and fingerprint	USPAT	OR	ON	2009/03/20 15:36
S52	100	query adj fingerprint and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:37
S53	13	S52 and query adj fingerprint and candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:38
S54	8	S53 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:39
S55	1	S54 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 and construct\$3 adj query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:40
S56	0	S55 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:40
S57	4	S54 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:41

S58	91	("20090028441") or ("7142699") or ("20030169910") or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20
S59	15	S58 and query adj fingerprint and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:52
S60	2	S59 and query adj fingerprint and candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:58
S61	1	S60 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:59

S62	0	S61 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:59
S63	0	"707"/\$.ccls	USPAT	OR	ON	2009/03/20 15:59
S64	32080	"707"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:59
S65	13	S64 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:00
S66	3	S65 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:00
S67	3	S66 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	USPAT	OR	ON	2009/03/20 16:00
S68	2	S67 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:01
S69	1	S68 and (statistical adj model or model\$1) and threshold and (comparision or match\$3 or correlation or similar) and vector	USPAT	OR	ON	2009/03/20 16:02
S70	95295	"340"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:07
S71	1	S70 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:07
S72	0	S71 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:07
S73	0	S71 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	USPAT	OR	ON	2009/03/20 16:08
S74	0	S71 and (statistical adj model or model\$1) and threshold and (comparision or match\$3 or correlation or similar) and vector	USPAT	OR	ON	2009/03/20 16:08
S75	1	S71 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:08
S76	51940	"356"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:09
S77	0	S76 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:09
S78	10687	"283"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:09

S79	2	S78 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:09
S80	0	S79 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:10
S81	0	S79 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:10
S82	1	S79 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	USPAT	OR	ON	2009/03/20 16:10
S83	0	S82 and (statistical adj model or model\$1) and threshold and (comparision or match\$3 or correlation or similar) and vector	USPAT	OR	ON	2009/03/20 16:10
S84	0	S82 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:11
S85	22832	"713"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:12
S86	2	S85 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:13
S87	1	S86 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:13
S88	0	S87 and (statistical adj model or model\$1) and threshold and (comparision or match\$3 or correlation or similar) and vector	USPAT	OR	ON	2009/03/20 16:13
S89	0	S87 and @ad<"20031118"	USPAT	OR	ON	2009/03/20 16:14
S90	150	candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:29
S91	119	Query adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:29
S92	13	S90 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:29
S93	4	S92 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:30

S94	0	S93 and statistical adj model \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:31
S95	2	S93 and model\$1 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:31

10/5/09 3:54:12 PM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 9412.wsp